

Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 1 of 20

YUEQING BOYUAN ELECTRONIC WIRE & CABLE CO., LTD NO.89 SHAHONG RD BAIXIANG YUEQING ZHEJIANG CHINA

The following sample(s) was/were submitted and identified on behalf of the applicant as WIRE & CABLE

SGS Job No. : SZ12980575

SGS Internal Reference No. : 4.1

Tested sample information : 2468 \, 1015

Client Reference Information : Plastic insulation/black, brown, red, orange, yellow, green, blue, purple,

gray, white. tinned or bare copper conductor.

Model No.: See Attachment

Date of Sample Received : FEB 25, 2011

Testing Period : FEB 25, 2011 TO MAR 04, 2011

Test Requested : Selected test (s) as requested by client.

Test Method : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).

Conclusion : Based on the performed tests on submitted sample(s), the results **comply**

with the RoHS Directive 2002/95/EC and its subsequent amendments.

Signed for and on behalf of SGS-CSTC Ltd.

Manson Yang Approved Signatory

his document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document, thin, Attention is drawn to the limitation of ability subject to many printed that information contained herein reflects the Company's findings at the time of is instructions. If any. The Company's sile responsibility is to its Client and this document does not experience parties to a transaction of warring their types and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**The company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**The company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 2 of 20

Test Results:

Description for specimen 1 Black plastic w/ white printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
alkaline extraction		120 02021. 2000, 0 7 710		_	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5 5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

bitm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability derminication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of its information only any within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponse under the transaction for severcising all their volta and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company of the content or appearance or appearance



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 3 of 20

Description for specimen 2 Brown plastic w/ black printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
alkaline extraction		120 02021. 2000, 0 4-415		2	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 4 of 20

Description for specimen 3 Red plastic w/ black printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
alkaline extraction		120 02021. 2000, 0 4-415		2	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 5 of 20

Description for specimen 4 Orange plastic w/ black printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by alkaline extraction	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	=	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 6 of 20

Description for specimen 5 Yellow plastic w/ black printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
alkaline extraction		120 02021. 2000, 0 V-VIS		2	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 7 of 20

Description for specimen 6 Green plastic w/ black printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
alkaline extraction		120 02021. 2000, 0 4-415		2	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 8 of 20

Description for specimen 7 Blue plastic w/ black printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
alkaline extraction		120 02021. 2000, 0 4-415		2	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated

This document is issued by the Company subject to its General Conditions of Service printed everleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

htm. and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm, Attention is drawn to the limitation of liability in depropriate the company's findings at the time of its indeptor within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exponent experience of the Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless other results shown in this test report refer only to the sample(s) tested.



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 9 of 20

Description for specimen 8 Purple plastic w/ white printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
alkaline extraction		120 02021. 2000, 0 4-413		2	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

bitm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability derminication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of its information only any within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponse under the transaction for severcising all their volts and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company of the content or appearance or appearance



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 10 of 20

Description for specimen 9 Grey plastic w/ black printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
alkaline extraction		120 02021. 2000, OV VIS		_	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5 5	
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 11 of 20

Description for specimen 10 White plastic w/ red printing (jacket)

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
alkaline extraction		120 02021. 2000, 0 4-413		2	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated



Test Report No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 12 of 20

Description for specimen 11 Silvery metal wire

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by	_	IEC 62321: 2008, UV-Vis	Negative	\Diamond	#
boiling water extraction	,,	,,	•	·	
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. \diamondsuit = Spot test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling water extraction method if the spot test result is negative or cannot be confirmed.)

Boiling water extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

Storage conditions and production date of the tested sample are unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

5. # = Positive indicates the presence of CrVI on the tested area.

Negative indicates the absence of CrVI on the tested area.

6. "-" = Not regulated

his document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

Itm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm, Attention is drawn to the limitation of ability department of the instruction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of single certain the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exponent on support the company of the contained be reproduced except in full, without prior written approval of the Company, unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a support of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

156 Keshu Road, Scientech Park Guergehou Economic & Technology Development District, Guergehou, Chine 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com 中国・广州・经济技术开发区科学域科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com



No.: GZ1102017520/CHEM Date: MAR 07, 2011

Page 13 of 20

ATTACHMENT:

①UL STYLE: 1007 1015 1016 1017 1028 1030 1032 1061 1095 1107 1185 1283 1347 1354 1365 1430 1429 1431 1500 1509 1533 1571 1569 1581 1605 1617 1618 1672 1673 1674 1685 1691 1792 2096 2127 2405 2464 2474 2476 2532 2547 2555 2576 2647 2649 2651 2689 2725 2733 2734 2791 2831 2851 2854 2876 2877 2919 2933 2960 2961 2970 2990 20002 20080 20276 20288 3173 3265 3266 3271 3137 3272 3289 3302 3321 3346 3347 3348 3363 3364 3385 3386 3485 3398 3485 3567 3619 SPT-1 SPT-2 SPT SJT SVT ST NISPT XTW CXTW;

©CCC STYLE:227IEC01(BV) 227IEC02(RV) 227IEC05(BV) 227IEC06(RV) 227IEC07(BV-90) 227IEC08(RV-90) 227IEC10(BVV) 227IEC41(RTPVR) 227IEC42(BVR) 227IEC43 (SVR) 227IEC52(RVV) 227IEC53(RVV) 227IEC71f(TVVB) 227IEC74 (RVVYP) 227IEC75 (RVVY);

③CQC STYLE: BV BLV BVR BVV BLVV BVVB BLVVB RVS AV AVR AVRB AVRS AVVR AV-90 AVR-90 AVP RVP RVVP RVVP1 RVP-90 AVP-90 QVR QFR QVR-105 QVVR;

4VDE STYLE: H03VVH2-F H05VV-F

5 AUDIO & VIDEO CABLE




No.: GZ1102017520/CHEM Date: MAR 07, 2011 Page 14 of 20

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang / Cutey Yu / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. bitm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability demminication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not expense and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The support of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


156 Keshu Road, Scientech Park Guergehou Economic & Technology Development District, Guergehou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com 中国・广州・经济技术开发区科学域科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com




No.: GZ1102017520/CHEM Date: MAR 07, 2011

Page 15 of 20

Sample photo:





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions bitm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document. document.htm. Attention is drawn to the limitation of liability is specified in results the Company's findings at the time of its instruction of the property of the content of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


198 Keshu Road, Scienterh Park Guangshou Economic & Technology Development District, Guangshou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com中国・广州・经济技术开发区科学域科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com




No.: GZ1102017520/CHEM

Date: MAR 07, 2011

Page 16 of 20





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability information contained hereon reflects the Company's findings at the time of liability information contained hereon reflects the Company's findings at the time of the company is the company of the company. The company is the company in the company of the company is a the company of the company of the company is a the company of the company of the company is a the company of the company of the company is a the company of the compan


188 Keshu Road, Scientech Park Quangshou Economic & Technology Development District, Quangshou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com 中国 - 广州 - 经济技术开发区科学域科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com




No.: GZ1102017520/CHEM

Date: MAR 07, 2011

Page 17 of 20





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions bitm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document. document.htm. Attention is drawn to the limitation of liability is specified in results the Company's findings at the time of its instruction of the property of the content of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


198 Keshu Road, Scienterh Park Guangshou Economic & Technology Development District, Guangshou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com中国・广州・经济技术开发区科学域科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com



No.: GZ1102017520/CHEM

Date: MAR 07, 2011

Page 18 of 20





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions bitm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability: sgr.com/terms e-document. Attention is drawn to the limitation of its instruction and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all this rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, foregry or falsificiation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


198 Keshu Road, Scienterh Park Guangshou Economic & Technology Development District, Guangshou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com中国・广州・经济技术开发区科学域科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com




No.: GZ1102017520/CHEM

Date: MAR 07, 2011

Page 19 of 20





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions bitm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document. document.htm. Attention is drawn to the limitation of liability is specified in results the Company's findings at the time of its instruction of the property of the content of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

188 Keshu Road, Scientech Park Quangshou Economic & Technology Development District, Quangshou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com 中国 - 广州 - 经济技术开发区科学域科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com



No.: GZ1102017520/CHEM

Date: MAR 07, 2011

Page 20 of 20



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability is depunded and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interval in the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exported except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless of barying stated the results shown in this test report refer only to the sample(s) tested.

188 Kestu Road, Scienterh Part Quangshou Economic & Technology Development District, Quangshou, China 510663 t (88-20) 82155555 f (88-20) 82075113 www.cn.sgs.com中国 - 广州 - 经济技术开发区科学域科珠路198号 邮编: 510663 t (88-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com